

Oil & Gas Performance Solutions



**Burner Management Systems,
Flame Detection, Fuel Trains,
Burners & Safety Shut-Off Valves**

DISTRIBUTED BY



บริษัท บุญเยี่ยมและสหราชอาณาจักร จำกัด
BOONYIUM AND ASSOCIATES LIMITED
1314-1322 ถนนศรีนครินทร์ แขวงอ่อนนุช เขตสวนหลวง กรุงเทพฯ 10250
1314-1322 Srinakarin Road, On Nut, Suanluang, Bangkok 10250, THAILAND
Tel. 02 322 1678(Auto Line), 02 322 4330-3 Fax. 02 322 4328-9
Burner Section : 02 322 9365-B Fax. 02 322 9360
<http://www.boonyium.com> Email: burner@boonyium.com

Honeywell

Combustion Solutions



MAXON Customized Fuel Trains per ASME

MAXON offers a complete line of standard and custom panel and fuel train to meet simple through complex combustion control system needs. Panels are built in Maxon's UL, CSA, and CE approved fabrication shop to provide safe and reliable operations.



MAXON Burner Management Systems



PLC based BMS complies with NFPA, CUL, CSA and other standards to provide safe and reliable operations.



MAXON Series 8000 Pneumatic Valves

Shut-off and vent valves for oil and gas offer reliable closing in a compact design. Rated to -50°F ; sizes up to 8 inch. Hazardous Duty options. Worldwide ratings including NEMA 1, 3, 3S, 4, & 12, Fire Safe, CSA, CE, IP65, INMETRO.

Energy Efficiency. Compliance/Safety. Reliability.



SIL3 Capable controls

Industrial burner management and flame safeguard detectors for maximum safety



MAXON PSCHECK™ Partial Stroke Technology

Offers preventative health assessment of the Series 8000 Shut-off valve to identify potential performance issues increasing plant safety. SIL 3 capable, patented.




Improved efficiency with MAXON SMARTLINK® CV, SMARTLINK® DS, SMARTLINK® MRV and SMARTLINK® Meter

Precise and repeatable air/fuel ratio control optimizes fuel efficiency, enables accurate temperature control, and lowers burner emissions. MAXON SMARTLINK® Meter employs thermal mass flow technology for reliable measurements with no moving parts.



MAXON Burners

Wide variety of high efficiency burners reduce fuel usage and emissions.





MAXON XPO™

Highly-efficient natural gas or LPG burner for fire tube boiler or solution heating applications. Single digit NOx emissions with low excess air; turndown ratios of 4:1. Available in packaged versions with a combustion air blower or can be paired with an external blower.

MAXON HC AIRFLO®

Provides low NOx and CO emissions and high capacity (up to 7,000,000 Btu/ft) in low O₂/low pressure drop process air streams. Available in sizes up to 14 feet in fired length.



MAXON KINEDIZER® LE

Low emissions through state-of-the-art low NOx firing, turndown as high as 20:1. Rugged designs for oxidizers, process heaters, kilns, furnaces, dryers, waste incineration and other high temp applications.



-  Systems
-  Burners
-  Technology
-  Safety
-  Control
-  Fire Safe Rated

DISTRIBUTED BY



บริษัท บุญเยี่ยมและสหฯ จำกัด
BOONYIUM AND ASSOCIATES LIMITED
1314-1322 ถนนศรีนครินทร์ แขวงอ่อนนุช เขตสวนหลวง กรุงเทพฯ 10250
1314-1322 Srinakorn Road, On Nut, Suanluang, Bangkok 10250, THAILAND
Tel. 02 322 1878(Auto Line), 02 322 4330-3 Fax. 02 322 4328-9
Burner Section : 02 322 9369-8 Email: burner@boonyium.com
http://www.boonyium.com